

# Epidemiological Study of U.S. Carbon Nanotube Workers

John D. Beard, MPH, PhD  
Brigham Young University


QEEN II: 2nd Quantifying Exposure to Engineered  
Nanomaterials from Manufactured Products Workshop  
October 9, 2018

# Study Objective

- Estimate associations between occupational carbon nanotube and nanofiber (CNT/F) exposure and early human health effects
- Study conducted by the National Institute for Occupational Safety and Health

# Study Design

- Industrywide cross-sectional study
- 12 sites across the U.S.
  - Primary producers
  - Secondary users
  - Hybrid
- 108 CNT/F workers
  - 75% of recruited workers



From Dahm et al. (2015)

# Exposure Assessment

- Personal breathing zone, filter-based air sampling
  - Background-corrected elemental carbon (EC) concentrations (2 variables)
  - CNT/F structure count concentrations (6 variables)



# Exposure Assessment

- Direct-reading instruments
  - Fine and ultrafine particulate matter mass and count concentrations (3 variables)
- Other (4 variables)



# Outcome Assessment

- 36 sputum biomarkers
- 37 blood biomarkers
- Chest symptoms and respiratory allergies since start of CNT/F work



# Outcome Assessment

- Lung function
- Resting blood pressure (RBP)
- Resting heart rate (RHR)
- Complete blood count (CBC)  
components



# Sputum Biomarker Factor Loadings


78% of variance explained  
Colored loadings have largest magnitudes for each biomarker

Biomarker	Factor		
	1	2	3
<b>Cancer/Fibrosis</b>			
MUC-1/KL-6	0.16	<b>0.84</b>	0.08
MMP-2	<b>0.77</b>	0.44	0.15
MMP-7	0.09	<b>0.88</b>	0.16
TIMP-1	<b>0.65</b>	0.54	0.25
<b>Inflammation</b>			
α-2-M	<b>0.93</b>	0.07	0.07
Apo-AI	<b>0.93</b>	0.18	0.16
Apo-AII	<b>0.91</b>	0.24	0.02
IL-1 β	<b>0.66</b>	0.28	0.55
IL-6R-β	0.43	<b>0.65</b>	0.27
IL-8	0.59	<b>0.66</b>	0.31
IL-18	0.07	0.19	<b>0.88</b>
<b>Oxidative Stress</b>			
8-OHdG	<b>0.45</b>	0.38	-0.36
MPO	0.48	0.31	<b>0.69</b>
<b>Cardiovascular/Coagulation</b>			
Fibrinogen	<b>0.71</b>	0.23	0.36
PAI-1	<b>0.58</b>	0.53	0.27
VCAM-1	<b>0.87</b>	0.28	0.19


# CNT/F and Sputum Biomarker Factors

## Key


	Positive association p-value < 0.05
	p-value ≥ 0.05
	Inverse association p-value < 0.05




# CNT/F and Sputum Biomarkers



# CNT/F and Sputum Biomarkers



# CNT/F and Sputum Biomarkers



# CNT/F and Sputum Biomarkers

Variable	Cardiovascular					
	Fibrinogen	ICAM-1	PAI-1	t-PA	VCAM-1	vWF
Inhalable EC	High	Low	Low	Low	High	Low
Respirable EC	Low	Low	Low	Low	Low	Low
Total CNT/F	Low	Low	Low	Low	Low	Low
Single CNT/F	Low	Low	Low	Low	Low	Low
CNT/F <1 µm	Low	Low	Low	Low	Low	Low
CNT/F <2 µm	Low	Low	Low	Low	Low	Low
CNT/F <5 µm	Low	Low	Low	Low	Low	Low
CNT/F <10 µm	Low	Low	Low	Low	Low	Low
CPC	Low	Low	Low	Low	Low	Low
ELPI	Low	Low	Low	Low	Low	Low
PM <sub>2.5</sub>	Low	Low	Low	Low	Low	Low
Sputum CNT/F	Low	Low	Low	Low	Low	Low
Any CNT/F	Low	Low	Low	Low	Low	Low
CNT/F duration	Low	Low	Low	Low	Low	Low

# Blood Biomarker Factor Loadings

67% of variance explained


Colored loadings have largest magnitudes for each biomarker

Biomarker	Factor								
	1	2	3	4	5	6	7	8	9
<b>Cancer/Fibrosis</b>									
MUC-1/KL-6	-0.04	0.20	<b>-0.77</b>	-0.02	0.04	0.05	0.18	-0.09	-0.03
MMP-2	-0.29	0.29	-0.10	0.27	-0.12	0.20	<b>0.45</b>	0.40	0.00
MMP-7	0.07	0.27	-0.19	-0.10	<b>0.70</b>	0.06	0.24	0.11	-0.13
MMP-9	0.14	-0.02	-0.03	0.03	0.53	-0.04	-0.06	<b>0.54</b>	0.18
SPP-1	-0.08	-0.07	0.00	<b>0.61</b>	-0.11	-0.05	-0.16	0.24	0.37
TIMP-1	0.20	0.30	0.02	<b>0.56</b>	0.20	0.32	0.12	-0.15	-0.22
<b>Inflammation</b>									
α-2-M	-0.09	<b>-0.54</b>	-0.38	-0.12	0.03	-0.02	0.23	0.09	0.48
Apo-AI	-0.07	-0.24	0.17	0.04	0.19	0.11	<b>0.75</b>	-0.20	0.26
Apo-AII	-0.01	0.28	<b>0.75</b>	0.12	-0.02	0.13	0.13	-0.30	0.02
CRP	<b>0.73</b>	0.12	0.21	-0.15	0.03	0.34	-0.01	-0.06	-0.15
C3	<b>0.65</b>	0.14	0.25	-0.08	0.19	0.16	0.10	0.19	0.07
IL-1 β	0.32	-0.02	-0.15	-0.01	0.37	0.00	0.29	-0.08	<b>0.38</b>
IL-6R-β	0.11	0.29	0.19	<b>0.60</b>	0.00	-0.28	0.24	0.09	0.15
IL-8	0.23	0.13	0.04	0.07	<b>0.71</b>	0.14	-0.04	0.01	0.02
IL-18	<b>0.62</b>	0.27	0.00	0.27	0.03	-0.15	-0.02	-0.03	0.00
MDC	-0.08	<b>0.59</b>	0.10	-0.12	0.21	0.18	-0.27	-0.01	0.23
<b>Oxidative Stress</b>									
8-OHdG	0.05	0.09	<b>0.75</b>	0.08	-0.05	0.19	-0.01	-0.02	-0.18
GPx	0.14	0.01	-0.27	-0.22	-0.03	-0.17	<b>0.63</b>	0.17	-0.03
MPO	-0.06	0.06	-0.08	0.24	0.05	-0.03	0.03	<b>0.82</b>	-0.13
SOD	-0.07	0.13	-0.04	0.03	-0.02	0.02	0.07	-0.06	<b>0.78</b>
<b>Cardiovascular/Coagulation</b>									
EDN1	-0.09	0.02	0.06	<b>0.45</b>	0.42	-0.18	-0.28	-0.04	-0.01
Fibrinogen	0.46	0.09	0.08	0.00	0.14	<b>0.71</b>	0.17	0.26	0.10
ICAM-1	<b>0.65</b>	0.03	-0.20	0.11	0.15	-0.11	-0.03	-0.09	-0.06
PAI-1	0.25	<b>0.72</b>	0.07	0.13	0.19	0.11	0.13	0.20	0.08
t-PA	0.29	<b>0.76</b>	-0.09	0.03	0.08	0.10	-0.03	-0.04	-0.03
VCAM-1	0.09	-0.09	0.09	<b>0.75</b>	-0.01	0.17	-0.08	0.19	-0.14
vWF	-0.12	0.27	0.22	0.06	0.05	<b>0.79</b>	-0.12	-0.17	-0.01

# CNT/F and Blood Biomarker Factors

## Key


	Positive association p-value < 0.05
	p-value ≥ 0.05
	Inverse association p-value < 0.05




# CNT/F and Blood Biomarkers

Variable	Fibrosis					
	KL-6	MMP-2	MMP-7	MMP-9	SPP-1	TIMP-1
Inhalable EC						
Respirable EC						
Total CNT/F				■		■
Single CNT/F						
CNT/F <1 µm				■		
CNT/F <2 µm				■		
CNT/F <5 µm				■		
CNT/F <10 µm				■		
CPC	■		■			■
ELPI	■					■
PM <sub>2.5</sub>		■				
Sputum CNT/F						
Any CNT/F						■
CNT/F duration		■				

# CNT/F and Blood Biomarkers



# CNT/F and Blood Biomarkers



# CNT/F and Blood Biomarkers

Variable	Cardiovascular						
	EDN1	Fibrinogen	ICAM-1	PAI-1	t-PA	VCAM-1	vWF
Inhalable EC							
Respirable EC							
Total CNT/F	Red	Blue	Red			Red	Blue
Single CNT/F	Yellow	Red	Yellow			Yellow	Blue
CNT/F <1 µm	Yellow	Red	Yellow		Blue	Yellow	Blue
CNT/F <2 µm	Yellow	Red	Yellow		Blue	Red	Blue
CNT/F <5 µm	Red	Yellow	Red			Red	Blue
CNT/F <10 µm	Red	Yellow	Red			Red	Blue
CPC	Yellow			Red			
ELPI	Blue			Red			
PM <sub>2.5</sub>				Red			
Sputum CNT/F							
Any CNT/F						Red	
CNT/F duration							

# CNT/F and Chest Symptoms

Variable	Chest Symptoms	Respiratory Allergy
Inhalable EC		
Respirable EC		
Total CNT/F		
CPC		
ELPI		
PM <sub>2.5</sub>		
Sputum CNT/F		
CNT/F duration		

# CNT/F and Lung Function

<b>Variable</b>	<b>FVC</b>	<b>FEV1/FVC</b>	<b>FEF25-75</b>	<b>PEF</b>
Inhalable EC				
Respirable EC				
Total CNT/F				
Sputum CNT/F				
CNT/F duration				

# CNT/F and RBP and RHR

Variable	Systolic BP	Diastolic BP	Heart Rate
Inhalable EC			Red
Respirable EC			Red
Total CNT/F			Yellow
Sputum CNT/F			Yellow
CNT/F duration			Blue

# CNT/F and CBC Components

<b>Variable</b>	<b>Leukocytes</b>	<b>Neutrophils</b>	<b>Lymphocytes</b>
Inhalable EC			
Respirable EC			
Total CNT/F			
Sputum CNT/F			
CNT/F duration			

<b>Variable</b>	<b>Monocytes</b>	<b>Platelets</b>	<b>Hemoglobin</b>	<b>Hematocrit</b>
Inhalable EC				
Respirable EC				
Total CNT/F				
Sputum CNT/F				
CNT/F duration				

# Conclusions

- Findings support associations between occupational CNT/F exposure and early human health effects
- Results need to be confirmed in other exposed populations
- Consider recommended exposure limits based on inhalable CNT/F

# Acknowledgements

<b>Field Studies</b>	<b>Measurement Methods</b>	<b>Toxicology</b>
Mary Schubauer-Berigan	Eileen Birch	Aaron Erdely
Matt Dahm	Joseph Fernback	Linda Sargent
Marie de Perio	Douglas Evans	Robert Mercer
Jim Deddens	Melodie Fickenscher	Dale Porter
Ken Sparks		Tracy Eye
Donald Booher		Suzan Bilgesu
Veronica Burkel		Lindsay Bishop
Chrissy Toennis		Lorenzo Cena
Deb Sammons		Matt Campen (UNM)
John Clark		Andy Ottens (VCU)
Kevin L. Dunn		
Kelsey Babik		
Steve Bertke		

